

## XI'AN FUNCTION MATERIAL GROUP CO., LTD Safety Data Sheet Calcium tungstate

Trade Name:	Calcium tungstate
Chemical Formula:	$CaWO_4$
Recommended Use:	Scientific research and development
Manufacturer/Supplier:	XI'AN FUNCTION MATERIAL GROUP CO., LTD
Street:	No. 69, Gazelle Valley, High-Tech Zone
City:	XIAN
State:	SHAANXI
Zip Code:	710077
Country:	CHINA
Tel #:	+86-29-88993870/+86-13519132051

2. Hazards Identification		
Signal Word:	N/A	
Hazard Statements:	N/A	
Precautionary Statements:	N/A	
HMIS Health Ratings (0-4):		
Health:	0	
Flammability:	0	
Physical:	0	
	3. Composition	
	5. Composition	
Chemical Family:	Ceramic	
Additional Names:	Calcium tungsten oxide	
Calcium tungstate $(X_2Z_3)$ :		
Percentage:	100 wt%	
CAS #:	7790-75-2	
EC #:	232-219-4	
	4. First Aid Procedures	
General Treatment:	Seek medical attention if symptoms persist.	
Special Treatment:	None	
Important Symptoms:	None	
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.	
	Keep patient warm. Seek immediate medical attention.	
Ingestion:	Seek immediate medical attention.	
Skin:	Immediately wash affected area with mild soap and water. Remove any contaminated clothing. Seek immediate medical attention.	
Eyes:	Flush eyes with water, blinking often for several minutes. Remove	
	contact lenses if present and easy to do. Continue rinsing. Seek immediate medical attention.	

	5. Firefighting Measures
	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for
Spec. Fire Fighting Procedure:	surrounding material and type of fire. Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Keep unprotected persons away. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions: Work/Hygienic Maintenance:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before
Ventilation:	eating and smoking. Do not blow dust off clothing or skin with compressed air. Provide sufficient ventilation to maintain concentration at or below threshold limit.
8.	Exposure Controls and Personal Protection
Permissible Exposure Limits: Threshold Limit Value:	5 mg/m <sup>3</sup> as W, long-term value 5 mg/m <sup>3</sup> as W, long-term value
Special Equipment:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Respiratory Protection:	Dust Respirator
Protective Gloves: Eye Protection:	Rubber gloves Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.
	9. Physical and Chemical Characteristics
Color	N/A
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Odorless
Water Solubility: Boiling Point:	N/A N/A
Melting Point:	1,620 °C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density: Molecular weight:	6.06 g/cc 287.92 g/mol
C C	-

10. Reactivity		
Stability:	Stable under recommended storage conditions	
Reacts With:	Strong oxidizing agents, bases	
Incompatible Conditions:	None	
Hazardous Decomposition Products:	Metal oxide fume, calcium oxide, tungsten oxide	
	11. Toxicological Information	
Potential Health Effects:		
Eyes:	May cause irritation	
Skin:	May cause irritation	
Ingestion:	May cause irritation	
Inhalation:	May cause irritation	
Chronic:	N/A	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	N/A	
Carcinogen:	IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human	
	carcinogen by IARC. ACGIH: No component of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential carcinogen by	
	ACGIH.	
	NTP: No component of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen by	
	NTP.	
	OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
	12. Ecological Information	
Aquatic Toxicity:	N/A	
Persistent Bioaccumulation Toxicity:	N/A	
Very Persistent, Very Bioaccumulative:		
Notes:	Do not allow material to be released to the environment without proper	
×	governmental permits.	
	Do not allow undiluted product or large quantities to reach ground	
	water, water course or sewage system.	
	Avoid transfer into the environment.	
	13. Disposal Considerations	
Dispose of in accordance with local, stat	te, national, and international regulations.	
	14. Transportation Data	
Hazardous:	Not hazardous for transportation.	
Hazard Class.	N/A	

Hazardous:	Not hazardous for t
Hazard Class:	N/A
Packing Group:	N/A
UN Number:	N/A
Proper Shipping Name:	N/A

	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 304 Reportable Quantities:	N/A	
Sec 313 Toxic Chemicals:	No	

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

10/04/2018